Amendments to the Claims:

Following is a complete listing of the claims pending in the application, as amended:

1. (Original) A method of coating the surface of one or more microprojections of a microprojection array comprising the steps of:

providing a microprojection array comprised of one or more microprojections; treating the surface of one or more of said microprojections of said microprojection array with a method selected from group consisting of chemical preetching, plasma treatment, heat treating, rinsing with an alkaline detergent and rinsing with a wetting agent;

providing a coating formulation comprising an active agent;

applying said coating formulation to said treated surfaces of said one or more microprojections; and

drying said coating formulation onto said surfaces to form a coating.

- 2. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said coating formulation contains a pharmacologically effective dose of said agent.
- 3. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said step of treating comprises chemical pre-etching.
- 4. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said step of treating comprises plasma treatment.
- 5. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said step of treating comprises heat treating.

- 6. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said step of treating comprises rinsing at least one surface of one or more microprojections with an alkaline detergent.
- 7. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said step of treating comprises rinsing at least one surface of one or more microprojections with a wetting agent.
- 8. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 7 wherein said wetting agent comprises a surfactant.
- 9. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 8 wherein said surfactant comprises a surfactant selected from the group consisting of sodium dodecyl sulfate, cetyl pyridinium chloride, <u>a trimethylammonium chloride (TMAC) surfactant TMAC</u>, benzalkonium chloride, <u>a polysorbitan surfactant tweens</u>, sorbitans, and <u>a</u> laureth surfactant <u>laureths</u>.
- 10. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said wetting agent is present in a concentration at or above the critical micelle concentration.
- 11. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said wetting agent comprises a wetting agent selected from the group consisting of HEC, HPC, HPMC, MC, HEMC, EHEC and a block copolymer ethylene oxide and propylene oxide surfactant pluronics.
- 12. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said wetting agent comprises a wetting agent selected from the group consisting of proteins and peptides.

- 13. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 9 wherein said polysorbitan surfactant is tweens comprise a tween-selected from the group consisting of polyoxyethylene sorbitan monolaurate tween 20 and polyoxyethylene sorbitan monooleate tween 80.
- 14. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 1 wherein said coating formulation has a viscosity from about 3 centipoise to about 200 centipoise and said coating formulation has a contact angle of less than about 100 degrees.
- 15. (Original) A method of coating the surface of one or more microprojections of a microprojection array comprising the steps of:

providing a microprojection array comprised of one or more microprojections; providing a coating formulation comprising an active agent and a wetting agent; applying said coating formulation to said surfaces of said one or more microprojections; and

drying said coating formulation onto said surfaces to form a coating.

- 16. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 15 wherein said coating formulation contains a pharmacologically effective dose of said agent.
- 17. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 7 wherein said wetting agent comprises a surfactant.
- 18. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 17 wherein said surfactant comprises a surfactant selected from the group consisting of sodium dodecyl sulfate, cetyl pyridinium chloride, <u>a trimethylammonium chloride (TMAC) surfactant</u>

TMAC, benzalkonium chloride, <u>a polysorbitan surfactanttweens</u>, sorbitans, and <u>a</u> laureth surfactant laureths..

- 19. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 15 wherein said wetting agent is present in a concentration at or above the its critical micelle concentration.
- 20. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 15 wherein said wetting agent comprises a wetting agent selected from the group consisting of HEC, HPC, HPMC, MC, HEMC, EHEC and a block copolymer ethylene oxide and propylene oxide surfactant pluronics.
- 21. (Original) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 15 wherein said wetting agent comprises a wetting agent selected from the group consisting of proteins and peptides.
- 22. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 18 wherein said polysorbitan surfactant is tweens comprise a tween-selected from the group consisting of polyoxyethylene sorbitan monolaurate tween 20 and polyoxyethylene sorbitan monooleate tween 80.
- 23. (Currently amended) The method of coating the surface of one or more microprojections of a microprojection array as disclosed in claim 15 wherein said coating formulation has a viscosity from about 3 centipoise to about 200 centipoise and said coating formulation has a contact angle of less than about 100 degrees.